DESIGN INTENT



ANGLE IRON RESTRAINT

SCALE: 3"=1'-0"



FORMED CHANNEL RESTRAINT

SCALE: 3"=1'-0"

NOTE:

USE OF A MASONRY OR CONCRETE CHASE, ANGLE IRON OR FORMED CHANNEL RESTRAINT REQUIRED TO CONFORM WITH ASTM STANDARD

ASTM E-119 HEAD DETAIL - 120 MIN WALL RATED FIRE GLASS BLOCK AT CMU / BOND BEAM

CONFIDENTIAL – PROPRIETARY THESE DRAWINGS WERE CREATED BY AND REMAIN THE PROPERTY OF SEVES GLASS BLOCK S.R.O. UNAUTHORIZED DISCLOSURE, DISTRIBUTION OR COPYING OF THESE DRAWINGS IS STRICTLY PROHIBITED. THE FOLLOWING DETAILS ILLUSTRATE DESIGN INTENT; VARIATIONS MAYBE ACCEPTABLE. PLEASE CONTACT SEVES GLASS BLOCK TECHNICAL DEPARTMENT FOR FURTHER CONSULTATION.

SEVES GLASS BLOCK

PROJECT: ASTM E-119 WALL RATED DETAIL		
TITLE: HEAD - 120 MIN WALL RATED FIRE GLASS BLOCK AT CMU / BOND BEAM		
SCALE: 3"=1'-0"	DWG. NO.: FR-113	REV: 0
BY: MAI	DATE: 06/01/2022	SHEET: 1