

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013737-R3
DATE: 06/01/2017
CERTIFICATION PROGRAM: Fire
COMPANY: Seves Glass
CODE: 2322-1
REVISION DATE: 04/29/2024
EXPIRATION DATE: 06/30/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Seves Glass Block, Inc. 10576 Broadview Road Broadview Heights, OH 44147	<p style="text-align: center;">Series "Nubio Thickset 60"</p> <p style="text-align: center;">Fire-Rated Glass Block</p> <p style="text-align: center;">Manufacturer Specific Glass Blocks for Installation in 60 Minute Locations</p> <p style="text-align: center;">Max Opening: 94ft² or W-128.5" or H-104.5"</p> <p style="text-align: center;">Glass Block Weight: 7.65 lb</p> <p style="text-align: center;">Glass Block Size: 8" x 8" Minimum Thickness: 4" Minimum Face Thickness: 7/16"</p>

SPECIFICATION	PRODUCT RATING
ANSI/UL 9	60 Minutes With Hose Stream

TEST REPORT
Underwriters Laboratory Test Report No: R2556 02NK10299, R2556 79NK1, R2556 91NK10106, R2556 95NK20176

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
nami@namiinc.com

