

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013735-R3  
**DATE:** 06/01/2017  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** Seves Glass  
**CODE:** 2322-1  
**REVISION DATE:** 01/08/2025  
**EXPIRATION DATE:** 06/30/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Seves Glass Block S.R.O..</b> <b>Bilinská 782/42</b> <b>Duchcov, 419 01, Czech Republic</b>	<b>Series "Clarity Thickset 90"</b> <b>Fire-Rated Glass Block</b> Manufacturer Specific Glass Blocks for Installation in 90 Minute Locations  Max Opening: 100ft <sup>2</sup> or W-120" or H-120"  Glass Block Weight: 6.0 lb <b>Glass Block Size: 5.75" x 5.75"</b> <b>Minimum Thickness: 3.88"</b>

SPECIFICATION	PRODUCT RATING
<b>ANSI/UL 9</b>	<b>90 Minutes</b> <b>With Hose Stream</b>

TEST REPORT
<b>Underwriters Laboratory Test Report No: R2556 02NK10299</b>

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023