

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015719-R2  
DATE: 01/16/2023  
CERTIFICATION PROGRAM: Fire  
COMPANY: Seves Glass  
CODE: 2322-1  
REVISION DATE: 04/22/2026  
EXPIRATION DATE: 05/31/2036

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Seves Glass Block s.r.o.</b> <b>Bilinská 782/42</b> <b>Duchcov, 419 01, Czech Republic</b>	<b>Series "1919_13 F120"</b> <b>Fire-Rated Seves Glass Block Unit</b>  (w/ (2) 0.25" x 1.5" Strong-Tie SDS HD Connector Screw Double-Barrier Coating/16" O.C. Both Sides/ Lehigh Heidelberg Type S Masonry Cement w/Crystalline Silica/4" Truss type 9-Gauge wire reinforcement & 3M Fire Barrier Water Tight Sealant 1000 NS)  Manufacturer Specific Glass Blocks for Installation in 120 Minute Locations  Max Opening: 137ft <sup>2</sup> or W-124.63" & H-163.69"  <b>Minimum Glass Block Thickness: 5.13"</b>

SPECIFICATION	PRODUCT RATING
<b>ASTM E119-20</b> <b>UL 263-19</b> <b>CAN/ULC-S101-14</b>	<b>120 Minutes</b> <b>With Hose Stream</b>

TEST REPORT
<b>ICC NTA, LLC Test Report No: SGB1042921-110</b>

Administrator's Signature:  \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023